The fish communities and main fish populations of the Jurien Bay Marine Park

Fairclough, D.V., Potter, I.C., Lek, E.,
Bivoltsis, A.K. and Babcock, R.C.

Strategic Research Fund for the Marine Environment
Collaborative Research Project

Final Report
May 2011

Centre for Fish and Fisheries Research

MURDOCH UNIVERSITY
PERTH, WESTERN AUSTRALIA

strategic research fund for the *marine environment*

SRFME

CSIRO

Table of Contents

1.0 Executive Summary ..... **v**
2.0 Acknowledgements ..... **vii**
3.0 General Introduction **1**
3.1 Marine protected areas 1
3.1.1 Fisheries management goals 1
3.1.2 Indirect effects of MPAs 2
3.2 The Jurien Bay Marine Park 3
3.2.1 Major habitats and associated biota 3
3.2.2 Management scheme 6
3.3 Project objectives 8
4.0 General materials and methods **11**
4.1 Sampling timing, locations and methodologies employed 11
4.1.1 Fish community studies 11
4.1.2 Biological studies 12
5.0 Fish communities of reef habitats of the Jurien Bay Marine Park **17**
5.1 Introduction 17
5.2 Materials and methods 20
5.2.1 Sampling regime 20
5.2.2 Statistical analyses 25
5.3 Results 30
5.3.1 Structural complexity of reefs 30
5.3.3 Fishes: numbers of species and total density of fishes 34
5.3.4 Univariate analyses on number of fish species at Green Head and Jurien 41
5.3.5 Univariate analyses on density of fishes at Green Head and Jurien 42
5.3.6 Composition of fishes at Green Head and Jurien 45
5.3.7 Relationship between fish communities and environmental variables 59
5.4 Discussion 63
5.4.1 Reef fishes of the Jurien Bay Marine Park 63
5.4.2 Influence of reef location and marine park zone on the number of species and density of fishes 65
5.4.3 Composition of fishes of the JBMP 66
5.4.4 Influence of environmental variables on the composition of fishes 69
5.4.5 Summary 70
6.0 Fish communities of seagrass and unvegetated habitats **73**
6.1 Introduction 73
6.2 Materials and methods 76
6.2.1 Sampling regime and sample processing 76
6.2.2 Statistical analyses 79
6.3 Results 81
6.3.1 Types and observed densities of seagrass 81
6.3.2 Numbers of species and density of fishes 84
6.3.3 Abundant species 94
6.3.4 Composition of fish species 96
6.4 Discussion 101
6.4.1 Fish communities of seagrass and unvegetated sand habitats in the JBMP 101
6.4.2 Do the seagrass beds of the JBMP represent a nursery habitat? 102
6.4.3 Influence of seagrass type and density on fish fauna 104
6.4.4 Influence of season on biotic variables and species composition in seagrass 106

2.0 Acknowledgements

The authors gratefully acknowledge the Strategic Research Fund for the Marine Environment, Murdoch University and the Department of Environment and Conservation for funding this project. Work was conducted under Murdoch University animal ethics permit W1101/04.

We are indebted to Ian and Sharon Stiles of Jurien Dive for their service, advice and friendship. Gratitude is also expressed to the following people for their contributions to the project and helpful discussions. Geordie Clapin, Lucy Kay, John Keesing, Matt Klezckowski and Matt Vanderklift (CSIRO); Kevin Crane, Kevin Bancroft and Chris Simpson (Department of Environment and Conservation); Jane Fromont, Barry Hutchins, Glenn Moore and Sue Morrison (Western Australian Museum), Lynda Bellchambers, Jason How, Scott Evans and members of the Jurien Bay office of the Department of Fisheries Western Australia; Lachlan Macarthur, Glenn Hyndes and Kathryn MacMahon (Edith Cowan University); Tim Carter, Peter Coulson, Ceri Evans, Lyndsay Fairclough, Dan French, Matt Havey, John Huisman, Richard Leaman, Chris Marsh, Marc Morris, Gus Paccani, Ryan Seaver, Emma Somerville, Michael Taylor, Mike Travers and in particular Steve Moore (Murdoch University). We thank members of the Jurien and Green Head communities: Paul Baines (Jurien Mobile Marine), Rod Wilson (Green Head Sea Lion Charters), Bob Alexander (commercial fisher), Jurien Bay Volunteer Sea Rescue, Jurien Bayview Real Estate and members of the public for their interest in our research and particularly to those who retrieved washed up acoustic receivers. Many thanks to Fiona Valesini, Margaret Platell and Steeg Hoeksema at the Centre for Fish and Fisheries Research (Murdoch University) and Bob Clarke from Plymouth Marine Laboratories for statistical advice.